

(%) mean (range; variance)

年齢層	All (n=519*)	≤40s (n=10)	50s (n=10)	60s (n=39)	70s (n=91)	80s (n=231)	≥90s (n=138)
年齢	82.69 (14–105; 141.8)	34.70 (14–49; 11.216)	55.20 (50–59; 3.259)	64.59 (60–69; 2.788)	75.32 (70–79; 2.607)	85 (80–89; 2.778)	94.23 (90–105; 3.542)
性別, n (%) 男性	267 (51.5)	9 (90.0)	8 (80.0)	30 (76.9)	8 (80.0)	116 (50.2)	38 (27.5)
避難回数	2.03 (0–10; 2.233)	2.70 (1–4; 1.16)	2.30 (0–10; 2.946)	2.31 (0–7; 1.379)	1.86 (0–7; 1.465)	2.06 (0–9; 1.501)	1.95 (0–7; 1.411)
移動回数	3.03 (0–15; 5.223)	3.2 (1–6; 1.687)	3.90 (0–15; 4.228)	3.33 (0–8; 2.18)	2.92 (0–11; 2.325)	3.01 (0–11; 2.183)	2.99 (0–14; 2.335)
災害後の期間(日)	230.6 (0–2285; 96236.69)	774.9 (57–2285; 716.793)	420.8 (5–2106; 659.963)	310.49 (7–1777; 382.877)	228.74 (0–1601; 282.234)	219.87 (4–1678; 280.708)	173.97 (1–1586; 216.152)
災害後の変化							
飲酒機会の増加	5 (1.0)	2 (20.0)	0 (0.0)	0 (0.0)	1 (1.1)	2 (0.9)	0 (0.0)
不眠症	105 (20.2)	5 (50.0)	3 (30.0)	11 (28.2)	15 (16.5)	50 (21.6)	21 (15.1)
うつ	243 (46.8)	7 (70.0)	5 (50.0)	22 (56.4)	41 (45.1)	114 (49.4)	54 (38.8)
認知症	100 (19.3)	0 (0.0)	2 (20.0)	2 (5.1)	13 (14.3)	56 (24.2)	27 (19.4)
社会的活動の減少	298 (57.4)	7 (70.0)	8 (80.0)	23 (59.0)	50 (54.9)	140 (60.6)	70 (50.4)
コミュニケーションの低下	207 (39.9)	6 (60.0)	5 (50.0)	17 (43.6)	33 (36.3)	95 (41.1)	51 (36.7)
死亡場所							
病院	434 (83.6)	3 (30.0)	9 (90.0)	28 (71.8)	79 (86.8)	200 (86.6)	116 (83.5)
自宅	30 (5.8)	3 (30.0)	1 (10.0)	5 (12.8)	8 (8.8)	11 (4.8)	2 (1.4)
避難先	7 (1.3)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (1.3)	3 (2.2)
介護施設	36 (6.9)	0 (0.0)	0 (0.0)	4 (10.3)	4 (4.4)	13 (5.6)	15 (10.8)
その他	11 (2.1)	3 (30.0)	0 (0.0)	2 (5.1)	0 (0.0)	4 (1.7)	2 (1.4)
被災時の居住状況							
病院	148 (28.5)	2 (20.0)	1 (10.0)	9 (23.1)	34 (37.4)	69 (29.9)	33 (23.7)
介護施設	119 (22.9)	1 (10.0)	0 (0.0)	6 (15.4)	12 (13.2)	49 (21.2)	51 (36.7)
自宅	252 (48.6)	7 (70.0)	9 (90.0)	24 (61.5)	45 (49.5)	113 (48.9)	54 (38.8)

避難の有無

有	493 (95.0)	10 (100.0)	8 (80.0)	38 (97.4)	84 (92.3)	221 (95.7)	132 (95.0)
被災時の障害認定							
有	55 (10.6)	1 (10.0)	1 (10.0)	8 (20.5)	14 (15.4)	24 (10.4)	8 (5.8)
被災時の介護認定							
有	271 (52.2)	0 (0.0)	1 (10.0)	7 (17.9)	35 (38.5)	139 (60.2)	89 (64.5)
無	200 (38.5)	10 (100.0)	8 (80.0)	29 (74.4)	49 (53.8)	76 (32.9)	28 (20.3)
申請中	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (1.1)	0 (0.0)	0 (0.0)
不明	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	21 (15.2)
死因							
A00-B99 (感染性及び 寄生性)	10 (1.9)	0 (0.0)	0 (0.0)	1 (2.6)	3 (0.0)	3 (0.013)	3 (2.2)
C00-D48 (新生物)	80 (15.4)	0 (0.0)	5 (50.0)	12 (30.8)	20 (22.0)	35 (15.2)	8 (5.8)
D50-D89 (血液と免疫 系)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (1.0)	0 (0.0)	0 (0.0)
E00-E90 (内分泌、栄養、 代謝)	6 (1.2)	0 (0.0)	0 (0.0)	1 (2.6)	2 (2.2)	1 (1.1)	2 (1.4)
F00-F99 (メンタルヘル ス)	3 (0.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (0.0)	1 (0.7)
G00-G99 (神経系)	3 (0.6)	0 (0.0)	0 (0.0)	0 (0.0)	2 (2.2)	1 (0.0)	0 (0.0)
I00-I99 (循環器系)	144 (27.7)	0 (0.0)	1 (10.0)	13 (33.3)	23 (25.3)	64 (27.7)	43 (31.2)
J00-J99 (呼吸器系)	130 (25.0)	0 (0.0)	0 (0.0)	5 (12.8)	22 (24.2)	60 (26.0)	43 (31.2)
K00-K93 (消化器系)	15 (2.9)	2 (20.0)	2 (20.0)	1 (2.6)	2 (2.2)	3 (4.3)	5 (3.6)
L00-L99 (皮膚および皮 下組織)	1 (0.2)	0 (0.0)	0 (0.0)	1 (2.6)	0 (0.0)	0 (0.0)	1 (0.7)
M00-M99 (筋骨格系お よび結合組織)	7 (1.3)	0 (0.0)	0 (0.0)	1 (2.6)	0 (0.0)	5 (1.1)	1 (0.7)
N00-N99 (泌尿生殖器 系)	21 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (1.9)	9 (4.3)	6 (4.3)
R00-R99 (症状、 徴候、異常な臨床 症状および臨床症 状 他に分類されない検 査所 見)	70 (13.5)	1 (10.0)	0 (0.0)	1 (2.6)	17 (16.3)	39 (16.9)	22 ()

S00-T98 (傷害、 中毒、その他外 部からの影響原 因)	7 (1.3)	0 (0.0)	0 (0.0)	1 (2.6)	1 (1.0)	3 (2.2)	2 (1.4)
V01-Y98 (傷害、疾病、 死亡の外因)	20 (3.9)	7 (70.0)	2 (20.0)	3 (7.7)	2 (1.9)	5 (12.0)	0 (0.0)
X70 (縊類)	16 (3.1)	6 (60.0)	2 (20.0)	2 (5.1)	2 (1.9)	4 (1.7)	0 (0.0)
失踪	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.4)	0 (0.0)
既往歴							
A00-B99 (感染性およ び寄生 性)	19 (3.7)	1 (10.0)	0 (0.0)	3 (7.7)	3 (3.3)	7 (3.0)	5 (3.6)
C00-D48 (新生物)	84 (16.2)	0 (0.0)	4 (40.0)	10 (25.6)	15 (16.5)	42 (18.2)	13 (9.4)
D50-D89 (血液と免疫 系)	21 (4.0)	0 (0.0)	0 (0.0)	1 (2.6)	3 (3.3)	14 (6.1)	3 (2.2)
E00-E90(内分泌、栄養 、代謝)	104 (20.0)	2 (20.0)	1 (10.0)	6 (15.4)	21 (23.1)	54 (23.4)	20 (14.5)
F00-F99 (メンタルヘル スおよび行動学)	140 (27.0)	3 (30.0)	1 (10.0)	6 (15.4)	22 (24.2)	63 (27.3)	45 (32.6)
G00-G99 (神経系)	50 (9.6)	0 (0.0)	0 (0.0)	4 (10.3)	13 (14.3)	26 (11.3)	7 (5.1)
H00-H59 (眼球および 付属器官)	24 (4.6)	0 (0.0)	0 (0.0)	1 (2.6)	2 (2.2)	9 (3.9)	12 (8.7)
H60-H95 (耳と乳様突 起)	3 (0.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (0.9)	1 (0.7)
I00-I99 (循環器系)	305 (58.8)	2 (20.0)	3 (30.0)	17 (43.6)	53 (58.2)	145 (62.8)	85 (61.6)
J00-J99 (呼吸器系)	76 (14.6)	0 (0.0)	0 (0.0)	6 (15.4)	11 (12.1)	38 (16.5)	21 (15.2)
K00-K93 (消化器系)	86 (16.6)	3 (30.0)	3 (30.0)	6 (15.4)	13 (14.3)	31 (13.4)	30 (21.7)
L00-L99 (皮膚および皮 下組織)	5 (1.0)	0 (0.0)	0 (0.0)	1 (2.6)	2 (2.2)	2 (0.9)	0 (0.0)
M00-M99 (筋骨格系お よび結合組織)	47 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	8 (8.8)	20 (8.7)	19 (13.8)
N00-N99 (泌尿生殖器 系)	72 (13.9)	0 (0.0)	0 (0.0)	3 (7.7)	9 (9.9)	35 (15.2)	25 (18.1)
Q00-Q99 (先天奇形、奇 形、染色体異常)	1 (0.2)	0 (0.0)	0 (0.0)	1 (2.6)	0 (0.0)	0 (0.0)	0 (0.0)
R00-R99 (症状、徴 候、異常な臨床症状)	20 (3.9)	0 (0.0)	0 (0.0)	2 (5.1)	4 (4.4)	7 (3.0)	7 (5.1)

および臨床症状、他に
分類されない検査所
見)

S00-T98 (傷害、中毒、その他外部からの影響原因)	51 (9.8)	1 (10.0)	1 (10.0)	4 (10.3)	7 (7.7)	16 (6.9)	22 (15.9)
Z00-Z99 (健康状態および医療サービスとの接触に及ぼす要因)	37 (7.1)	0 (0.0)	0 (0.0)	6 (15.4)	8 (8.8)	13 (5.6)	10 (7.2)
除外**	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)	1 (1.1)	1 (0.4)	0 (0.0)

*必要な情報がない 1 人を除外。

**病歴が疑わしい 2 名を除外。